



# WORLD-LIFT

WFG/D100-WFG/D110



**WFG/D100-WFG/D110**  
10,000 lb - 11,000 lb • LPG •  
Diesel Pneumatic Tire

**FAMILY OWNED SINCE 1975**



# WFG/D 100-110

## FEATURES BENEFITS


- GM 4.3L, or Cummins QSF2.8/QSB45
- Nodular iron crankshaft for increased strength World-class engine sealing system for superior leak protection. Sintered powdered-metal exhaust valve seats for enhanced durability and noise reduction. Cast Iron: Block, Cylinder head and intake manifold.
- Power shift (Automatic) transmission with separate inching and brake pedals, offers positive operation in tight working areas, especially beneficial working on ramps and inclines.
- High visibility design mast with side thrust rollers in the carriage for smoother operation and longer life of the mast components.
- Fully Hydrostatic Power Steering for smoother operation and many fewer parts for lower maintenance costs. This utilizes the largest cylinder and thickest steel for protection of any forklift in its class!
- Large hydraulically actuated Drum & Shoe type brakes for positive braking performance and ease of maintenance. Mechanical lever type parking brake for reliability.
- Control Handles are mounted on the dash for operator convenience and also allows the operator to enter/exit the operator compartment from either side of the machine comfortably



- Tilt Steering Wheel
- Adjustable Seat
- Seat Belt
- Dual Head Lights
- Front Turn Signals
- Rear Turn Signals
- Brake Lights
- Back-up Lights
- Back-up Alarm
- Neutral Safety Switch
- Welded Overhead Guard
- Integral Gas Tank
- Integral Hydraulic Tank

- High air intake
- Cyclone air cleaner
- Insulated engine cover
- Hand hold for entry
- Radiator overflow bottle
- Third valve & lever
- Horn
- Hour Meter
- Charge warning light
- Temperature warning light
- Oil pressure gauge
- Key switch
- Safety load backrest

- ITA Class IV forks & carriage
- Easy access floor boards
- Rubber safety mat
- Meet or exceed all ANSI B56.1
- Safety standards for powered industrial trucks and underwriters laboratories requirements as to fire hazard. EPA Compliant



## FEATURES & BENEFITS

MODEL		WFG 100	WFD 100	WFG 110	WFD 110
Capacity	Lbs	10,000	10,000	11,000	11,000
Load Center	In	24	24	24	24
Power Engine		LPG	Diesel	LPG	Diesel
Tires Air Pneumatic	Front	300 -15-18PR	Same	Same	Same
Tires Air Pneumatic	Rear	7-12-12PR	Same	Same	Same
Fork Size	In	48	48	48	48
Length to FF	In	127	127	127	127
Mast Tilt Fwd/Back	Deg.	6 / 12	6 / 12	6 / 12	6 / 12
Total Width	In	58	58	58	58
Mast Height	In	118	118	118	118
Guard Height	In	91	91	91	91
Min Turn Radius Outside	In	115	115	115	115
Max Height	In	168	168	168	168
Front Overhang	In	21	21	21	21
Total Length	In	127	127	127	127
Service Weight	Lb kg	14,727	14,727	15,212	15,212
LPG Eng	Hp/ rpm	75/2200		75/2200	
Diesel			55/2200		63.9/2300
Wheelbase	Inch	83	83	86.6	86.6
Brakes	Type	Hand/Foot	Hand/ Foot	Hand/Foot	Hand/Foot
Engine / Model		GM4.3L	Cummins QSF2,8	GM4.3L	Cummins QSB45-C110
Transmission Power shift	Fwd Back	2/1	2/1	2/1	2/1

### Standard Equipment

- Two Stage Mast
- Pneumatic Tires
- GM 4.3L Engine
- Tier IV
- Auto
- Transmission
- Headlights
- Back Up Lights
- Turn Signals
- Hydro Steer Axle
- Mirrors
- Load Backrest
- Seat Belt
- Tilt Steer Wheel
- 3rd Valve
- Operator Manual
- Standard Forks

### Optional Equipment

- Diesel Engine
- Cummins QSF2.8
- Cummins QSB45
- Standard
- Full Free Lift
- Triplex
- Various Tire Options
- Solid
- Foam Filled
- LPG Tanks
- Side Shifters
- 4 Way Hydraulics
- Much More!
- WFG/D100-110



MOVING STUFF, SINCE 1945

954-768-9875

[worldwideforklifts.com](http://worldwideforklifts.com)



**THE PREMIER GLOBAL FORKLIFT  
MANUFACTURER SINCE 1975**

**954-768-9875 Fax: 954-759-9187**

268 SW 32 Ct. Fort Lauderdale, FL 33315

[www.worldwideforklifts.com](http://www.worldwideforklifts.com)

Dealer Info: