

GetExpressCheckoutDetails API Operation (NVP)

GetExpressCheckoutDetails Request Message

GetExpressCheckoutDetails Request Fields

Field	Description
METHOD	(Required) Must be GetExpressCheckoutDetails.
TOKEN	(Required) A timestamped token, the value of which was returned by SetExpressCheckout response. Character length and limitations: 20 single-byte characters.

GetExpressCheckoutDetails Response Message

GetExpressCheckoutDetails Response Fields

Field	Description
TOKEN	The timestamped token value that was returned by SetExpressCheckout response and passed on GetExpressCheckoutDetails request. Character length and limitations: 20 single-byte characters.
CUSTOM	A free-form field for your own use, as set by you in the Custom element of the SetExpressCheckout request. Character length and limitations: 256 single-byte alphanumeric characters.
INVNUM	Your own invoice or tracking number, as set by you in the element of the same name in the SetExpressCheckout request. Character length and limitations: 127 single-byte alphanumeric characters.
PHONENUM	Buyer's contact phone number. Note PayPal returns a contact phone number only if your Merchant Account Profile settings require that the buyer enter one. Character length and limitations: Field mask is XXX-XXX-XXXX (for US numbers) or +XXX XXXXXXXXX (for international numbers).
PAYPALADJUSTMENT	A discount or gift certificate offered by PayPal to the buyer. This amount is represented by a negative amount. If the buyer has a negative PayPal account balance, PayPal adds the negative balance to the transaction amount, which is represented as a positive value. Character length and limitations: <%= @items['/shared/cl_currencylimit_neg/'].compiled_content %>
REDIRECTREQUIRED	Flag to indicate whether you need to redirect the buyer back to PayPal after successfully completing the transaction. Note Use this field only if you are using giropay or bank transfer payment methods in Germany. ebl:CheckoutStatusType Status of the checkout session. If payment is completed, the transaction identification number

of the resulting transaction is returned. It is one of the following values:

CHECKOUTSTATUS	• PaymentActionNotInitiated • PaymentActionFailed • PaymentActionInProgress • PaymentActionCompleted
----------------	--

GIFTMESSAGE	Gift message entered by the buyer on the PayPal checkout pages. Character length and limitations: 150 single-byte characters. Whether the buyer requested a gift receipt. It is one of the following values:
-------------	--

GIFTRECEIPTENABLE	• <code>true</code> - The buyer requested a gift receipt. • <code>false</code> - The buyer did not request a gift receipt.
-------------------	--

GIFTWRAPNAME	Returns the gift wrap name <i>only</i> if the buyer selects gift option on the PayPal pages. Character length and limitations: 25 single-byte characters. Returns the gift wrap amount <i>only</i> if the buyer selects the gift option on the PayPal pages.
--------------	--

GIFTWRAPAMOUNT	Character length and limitations: <%= @items['/shared/cl_currencylimit/'].compiled_content %>
----------------	---

BUYERMARKETINGEMAIL	Buyer's email address if the buyer provided it on the PayPal pages. Character length and limitations: 127 single-byte characters.
---------------------	--

SURVEYQUESTION	Survey question on the PayPal checkout pages. Character length and limitations: 50 single-byte characters.
----------------	---

SURVEYCHOICESELECTED	Survey response the buyer selects on the PayPal pages. Character length and limitations: 15 single-byte characters.
----------------------	--

Payer Information Fields

Field	Description
EMAIL	Email address of buyer. Character length and limitations: 127 single-byte characters.
PAYERID	Unique PayPal Customer Account identification number. Character length and limitations: 13 single-byte alphanumeric characters. Status of buyer. It is one of the following values: • <code>verified</code> • <code>unverified</code>
PAYERSTATUS	Character length and limitations: 10 single-byte alphabetic characters.
COUNTRYCODE	Buyer's country of residence in the form of ISO standard 3166 two-character country codes. Character length and limitations: 2 single-byte characters.
BUSINESS	Buyer's business name. Character length and limitations: 127 single-byte characters.

Payer Name Fields

Field	Description
FIRSTNAME	Buyer's first name. Character length and limitations: 25 single-byte characters.

MIDDLENAME	Buyer's middle name. Character length and limitations: 25 single-byte characters.
LASTNAME	Buyer's last name. Character length and limitations: 25 single-byte characters.
SUFFIX	Buyer's suffix. Character length and limitations: 12 single-byte characters.

Address Type Fields

Field	Description
PAYMENTREQUEST_ <i>n</i> _SHIPTONAME	Person's name associated with this shipping address. You can specify up to 10 payments, where <i>n</i> is a digit between 0 and 9, inclusive. Character length and limitations: 32 single-byte characters.
PAYMENTREQUEST_ <i>n</i> _SHIPTOSTREET	First street address. You can specify up to 10 payments, where <i>n</i> is a digit between 0 and 9, inclusive. Character length and limitations: 100 single-byte characters.
PAYMENTREQUEST_ <i>n</i> _SHIPTOSTREET2	Second street address. You can specify up to 10 payments, where <i>n</i> is a digit between 0 and 9, inclusive. Character length and limitations: 100 single-byte characters.
PAYMENTREQUEST_ <i>n</i> _SHIPTOCITY	Name of city. You can specify up to 10 payments, where <i>n</i> is a digit between 0 and 9, inclusive. Character length and limitations: 40 single-byte characters.
PAYMENTREQUEST_ <i>n</i> _SHIPTOSTATE	State or province. It is required if the address is in one of the following countries: Argentina, Brazil, Canada, China, Indonesia, India, Japan, Mexico, Thailand, USA. You can specify up to 10 payments, where <i>n</i> is a digit between 0 and 9, inclusive. Character length and limitations: 40 single-byte characters.
PAYMENTREQUEST_ <i>n</i> _SHIPTOZIP	U.S. ZIP code or other country-specific postal code. You can specify up to 10 payments, where <i>n</i> is a digit between 0 and 9, inclusive. Character length and limitations: 20 single-byte characters.
PAYMENTREQUEST_ <i>n</i> _SHIPTOCOUNTRYCODE	Country code. You can specify up to 10 payments, where <i>n</i> is a digit between 0 and 9, inclusive. Character length and limitations: 2 single-byte characters.
PAYMENTREQUEST_ <i>n</i> _SHIPTOPHONENUM	Phone number. You can specify up to 10 payments, where <i>n</i> is a digit between 0 and 9, inclusive. Character length and limitations: 20 single-byte characters.
PAYMENTREQUEST_ <i>n</i> _ADDRESSSTATUS	Status of street address on file with PayPal. You can specify up to 10 payments, where <i>n</i> is a digit between 0 and 9, inclusive. It is one of the following values: • none • Confirmed • Unconfirmed

The PayPal address normalization status for Brazilian addresses. It can have one of the following values:

PAYMENTREQUEST_*n*_ADDRESSNORMALIZATIONSTATUS

- None
- Normalized
- Unnormalized
- UserPreferred

Payment Details Type Fields

When implementing parallel payments, you can create up to 10 sets of payment details type parameter fields, each representing one payment you are hosting on your marketplace.

Field

Description

PAYMENTREQUEST_*n*_AMT

The total cost of the transaction to the buyer. If shipping cost (not applicable to digital goods) and tax charges are known, include them in this value. If not, this value should be the current sub-total of the order. If the transaction includes one or more one-time purchases, this field must be equal to the sum of the purchases. Set this field to 0 if the transaction does not include a one-time purchase such as when you set up a billing agreement for a recurring payment that is not immediately charged. Purchase-specific fields are ignored. You can specify up to 10 payments, where *n* is a digit between 0 and 9, inclusive; except for digital goods, which supports single payments only. For digital goods, the following must be true:

- total cost > 0
- total cost <= total cost passed in the call to `SetExpressCheckout`

PAYMENTREQUEST_*n*_CURRENCYCODE

Character length and limitations: <%=
@items['/shared/cl_currencylimit/'].compiled_content %>

A 3-character [currency code](#). Default: USD.

You can specify up to 10 payments, where *n* is a digit between 0 and 9, inclusive.

PAYMENTREQUEST_*n*_ITEMAMT

Sum of cost of all items in this order. For digital goods, this field is required. PayPal recommends that you pass the same value in the call to `DoExpressCheckoutPayment` that you passed in the call to `SetExpressCheckout`. You can specify up to 10 payments, where *n* is a digit between 0 and 9, inclusive; except for digital goods, which supports single payments only.

Note PAYMENTREQUEST_*n*_ITEMAMT is required if you specify
L_PAYMENTREQUEST_*n*_AMT*m*.

Character length and limitations: <%=
@items['/shared/cl_currencylimit/'].compiled_content %>

(Optional) Total shipping costs for this order. You can specify up to 10 payments, where *n* is a digit between 0 and 9, inclusive.

PAYMENTREQUEST_*n*_SHIPPINGAMT

Note If you specify a value for PAYMENTREQUEST_*n*_SHIPPINGAMT, you must also specify a value for PAYMENTREQUEST_*n*_ITEMAMT.

Character length and limitations: <%=
@items['/shared/cl_currencylimit/'].compiled_content %>

(Optional) Total shipping insurance costs for this order. The value must

PAYMENTREQUEST_n_INSURANCEAMT

be a non-negative currency amount or `null` if insurance options are offered. You can specify up to 10 payments, where *n* is a digit between 0 and 9, inclusive.

Character length and limitations: <%=
@items['/shared/cl_currencylimit/'].compiled_content %>

(Optional) Shipping discount for this order, specified as a negative number. You can specify up to 10 payments, where *n* is a digit between 0 and 9, inclusive.

PAYMENTREQUEST_n_SHIPDISCAMT

Character length and limitations: <%=
@items['/shared/cl_currencylimit/'].compiled_content %>

(Optional) Indicates whether insurance is available as an option the buyer can choose on the PayPal pages. You can specify up to 10 payments, where *n* is a digit between 0 and 9, inclusive. Is one of the following values:

PAYMENTREQUEST_n_INSURANCEOPTIONOFFERED

- `true` - The Insurance option displays the string 'Yes' and the insurance amount. If `true`, the total shipping insurance for this order must be a positive number.
- `false` - The Insurance option displays 'No.'

(Optional) Total handling costs for this order. You can specify up to 10 payments, where *n* is a digit between 0 and 9, inclusive.

PAYMENTREQUEST_n_HANDLINGAMT

Note If you specify a value for `PAYMENTREQUEST_n_HANDLINGAMT`, you must also specify a value for `PAYMENTREQUEST_n_ITEMAMT`.

Character length and limitations: <%=
@items['/shared/cl_currencylimit/'].compiled_content %>

(Optional) Sum of tax for all items in this order. You can specify up to 10 payments, where *n* is a digit between 0 and 9, inclusive; except for digital goods, which supports single payments only.

PAYMENTREQUEST_n_TAXAMT

Note `PAYMENTREQUEST_n_TAXAMT` is required if you specify `L_PAYMENTREQUEST_n_TAXAMTm`

Character length and limitations: <%=
@items['/shared/cl_currencylimit/'].compiled_content %>

(Optional) Description of items the buyer is purchasing. You can specify up to 10 payments, where *n* is a digit between 0 and 9, inclusive; except for digital goods, which supports single payments only.

PAYMENTREQUEST_n_DESC

Note The value you specify is available only if the transaction includes a purchase. This field is ignored if you set up a billing agreement for a recurring payment that is not immediately charged.

Character length and limitations: 127 single-byte alphanumeric characters.

(Optional) A free-form field for your own use. You can specify up to 10 payments, where *n* is a digit between 0 and 9, inclusive.

PAYMENTREQUEST_n_CUSTOM

Note The value you specify is available only if the transaction includes a purchase. This field is ignored if you set up a billing agreement for a

recurring payment that is not immediately charged.

Character length and limitations: 256 single-byte alphanumeric characters.

(Optional) Your own invoice or tracking number. You can specify up to 10 payments, where *n* is a digit between 0 and 9, inclusive; except for digital goods, which supports single payments only.

PAYMENTREQUEST_*n*_INVNUM

Note The value you specify is available only if the transaction includes a purchase. This field is ignored if you set up a billing agreement for a recurring payment that is not immediately charged.

Character length and limitations: 256 single-byte alphanumeric characters.

Your URL for receiving Instant Payment Notification (IPN) about this transaction. If you do not specify this value in the request, the notification URL from your Merchant Profile is used, if one exists. Your URL for receiving Instant Payment Notification (IPN) about this transaction. If you do not specify this value in the request, the notification URL from your Merchant Profile is used, if one exists. You can specify up to 10 payments, where *n* is a digit between 0 and 9, inclusive.

PAYMENTREQUEST_*n*_NOTIFYURL

Important: The notify URL applies only to

`DoExpressCheckoutPayment`. This value is ignored when set in `SetExpressCheckout` or `GetExpressCheckoutDetails`.

Character length and limitations: 2,048 single-byte alphanumeric characters.

Note to the merchant. You can specify up to 10 payments, where *n* is a digit between 0 and 9, inclusive.

PAYMENTREQUEST_*n*_NOTETEXT

Character length and limitations: 255 single-byte characters.

Transaction identification number of the transaction that was created. You can specify up to 10 payments, where *n* is a digit between 0 and 9, inclusive.

PAYMENTREQUEST_*n*_TRANSACTIONID

Note This field is only returned after a successful transaction for `DoExpressCheckout` has occurred.

The payment method type. Specify the value `InstantPaymentOnly`.

PAYMENTREQUEST_*n*_ALLOWEDPAYMENTMETHOD

You can specify up to 10 payments, where *n* is a digit between 0 and 9, inclusive.

A unique identifier of the specific payment request. Required when implementing parallel payments. You can specify up to 10 payments, where *n* is a digit between 0 and 9, inclusive.

PAYMENTREQUEST_*n*_PAYMENTREQUESTID

Character length and limitations: Up to 127 single-byte characters.

(Optional) The category of a payment. It is one of the following values:

PAYMENTREQUEST_*n*_BUCKETCATEGORYTYPE

- 1 - International shipping
- 2 - Local delivery

Payment Details Item Type Fields

Field**Description**

L_PAYMENTREQUEST_n_NAME*m*

Item name. You can specify up to 10 payments, where *n* is a digit between 0 and 9, inclusive, and *m* specifies the list item within the payment; except for digital goods, which only supports single payments. These parameters must be ordered sequentially beginning with 0 (for example L_PAYMENTREQUEST_n_NAME0, L_PAYMENTREQUEST_n_NAME1). Character length and limitations: 127 single-byte characters.

L_PAYMENTREQUEST_n_DESC*m*

Item description. You can specify up to 10 payments, where *n* is a digit between 0 and 9, inclusive, and *m* specifies the list item within the payment; except for digital goods, which only supports single payments. Character length and limitations: 127 single-byte characters.

L_PAYMENTREQUEST_n_AMT*m*

Cost of item. You can specify up to 10 payments, where *n* is a digit between 0 and 9, inclusive, and *m* specifies the list item within the payment; except for digital goods, which only supports single payments. These parameters must be ordered sequentially beginning with 0 (for example L_PAYMENTREQUEST_n_AMT0, L_PAYMENTREQUEST_n_AMT1).

Note If you specify a value for L_PAYMENTREQUEST_n_AMT*m*, you must specify a value for PAYMENTREQUEST_n_ITEMAMT.

Character length and limitations: <%=

@items['/shared/cl_currencylimit/'].compiled_content %>

L_PAYMENTREQUEST_n_NUMBER*m*

Item number. You can specify up to 10 payments, where *n* is a digit between 0 and 9, inclusive, and *m* specifies the list item within the payment. These parameters must be ordered sequentially beginning with 0 (for example L_PAYMENTREQUEST_n_NUMBER0, L_PAYMENTREQUEST_n_NUMBER1).

Character length and limitations: 127 single-byte characters.

L_PAYMENTREQUEST_n_QTY*m*

Item quantity. You can specify up to 10 payments, where *n* is a digit between 0 and 9, inclusive, and *m* specifies the list item within the payment. These parameters must be ordered sequentially beginning with 0 (for example L_PAYMENTREQUEST_n_QTY0, L_PAYMENTREQUEST_n_QTY1). Character length and limitations: Any positive integer.

L_PAYMENTREQUEST_n_TAXAMT*m*

Item sales tax. You can specify up to 10 payments, where *n* is a digit between 0 and 9, inclusive, and *m* specifies the list item within the payment. These parameters must be ordered sequentially beginning with 0 (for example L_PAYMENTREQUEST_n_TAXAMT0, L_PAYMENTREQUEST_n_TAXAMT1).

Character length and limitations: <%=

@items['/shared/cl_currencylimit/'].compiled_content %>

L_PAYMENTREQUEST_n_ITEMWEIGHTVALUE*m*,
L_PAYMENTREQUEST_n_ITEMWEIGHTUNIT*m*

Weight of the item. You can pass this data to the shipping carrier as is without having to make an additional database query. You can specify up to 10 payments, where *n* is a digit between 0 and 9, inclusive, and *m* specifies the list item within the payment. These parameters must be ordered sequentially beginning with 0 (for example

L_PAYMENTREQUEST_n_ITEMWEIGHTVALUE0,

L_PAYMENTREQUEST_n_ITEMWEIGHTVALUE1).

Character length and limitations: Any positive integer.

Length of the item. You can pass this data to the shipping carrier as is without having to make an additional database query. You can specify up to 10 payments, where *n* is a digit between 0 and 9, inclusive, and *m*

L_PAYMENTREQUEST_n_ITEMLENGTHVALUEm, L_PAYMENTREQUEST_n_ITEMLENGTHUNITm	specifies the list item within the payment. These parameters must be ordered sequentially beginning with 0 (for example L_PAYMENTREQUEST_n_ITEMLENGTHVALUE0, L_PAYMENTREQUEST_n_ITEMLENGTHVALUE1). Character length and limitations: Any positive integer. Width of the item. You can pass this data to the shipping carrier as is without having to make an additional database query. You can specify up to 10 payments, where <i>n</i> is a digit between 0 and 9, inclusive, and <i>m</i> specifies the list item within the payment. These parameters must be ordered sequentially beginning with 0 (for example L_PAYMENTREQUEST_n_ITEMWIDTHVALUE0, L_PAYMENTREQUEST_n_ITEMWIDTHVALUE1). Character length and limitations: Any positive integer. Height of the item. You can pass this data to the shipping carrier as is without having to make an additional database query. You can specify up to 10 payments, where <i>n</i> is a digit between 0 and 9, inclusive, and <i>m</i> specifies the list item within the payment. These parameters must be ordered sequentially beginning with 0 (for example L_PAYMENTREQUEST_n_ITEMHEIGHTVALUE0, L_PAYMENTREQUEST_n_ITEMHEIGHTVALUE1). Character length and limitations: Any positive integer. Indicates whether the item is digital or physical. For digital goods (L_PAYMENTREQUEST_n_ITEMCATEGORYm=Digital), this field is required. You can specify up to 10 payments, where <i>n</i> is a digit between 0 and 9, inclusive, and <i>m</i> specifies the list item within the payment. These parameters must be ordered sequentially beginning with 0 (for example L_PAYMENTREQUEST_n_ITEMCATEGORY0, L_PAYMENTREQUEST_n_ITEMCATEGORY1). It is one of the following values: - Digital - Physical
--	---

This field is available since version 65.1.

EbayItemPaymentDetailsItemType Fields

Field	Description
L_PAYMENTREQUEST_n_EBAYITEMNUMBERm	Auction item number. You can specify up to 10 payments, where <i>n</i> is a digit between 0 and 9, inclusive, and <i>m</i> specifies the list item within the payment. Character length: 765 single-byte characters.
L_PAYMENTREQUEST_n_EBAYITEMAUCTIONTXNIDm	Auction transaction identification number. You can specify up to 10 payments, where <i>n</i> is a digit between 0 and 9, inclusive, and <i>m</i> specifies the list item within the payment. Character length: 255 single-byte characters.
L_PAYMENTREQUEST_n_EBAYITEMORDERIDm	Auction order identification number. You can specify up to 10 payments, where <i>n</i> is a digit between 0 and 9, inclusive, and <i>m</i> specifies the list item within the payment. Character length: 64 single-byte characters.
L_PAYMENTREQUEST_n_EBAYITEMCARTIDm	The unique identifier provided by eBay for this order from the buyer. You can specify up to 10 payments, where <i>n</i> is a digit between 0 and 9, inclusive, and <i>m</i> specifies the list item within the payment.

Character length: 255 single-byte characters.

User Selected Options Type Fields

Field	Description
	Describes how the options that were presented to the buyer were determined. It is one of the following values:
SHIPPINGCALCULATIONMODE	• API - Callback • API - Flatrate
	The option that the buyer chose for insurance. It is one of the following values:
INSURANCEOPTIONSELECTED	• Yes - The buyer opted for insurance. • No - The buyer did not opt for insurance.
	Indicates whether the buyer chose the default shipping option. It is one of the following values:
SHIPPINGOPTIONISDEFAULT	• true - The buyer chose the default shipping option. • false - The buyer did not choose the default shipping option.
	The shipping amount that the buyer chose.
SHIPPINGOPTIONAMOUNT	Character length and limitations: <%= @items['/shared/cl_currencylimit/'].compiled_content %>
SHIPPINGOPTIONNAME	The name of the shipping option, such as air or ground.

Seller Details Type Fields

Field	Description
PAYMENTREQUEST_n_SELLERPAYPALACCOUNTID	Unique identifier for the merchant. For parallel payments, this field contains either the Payer Id or the email address of the merchant. You can specify up to 10 payments, where <i>n</i> is a digit between 0 and 9, inclusive. Character length and limitations: 127 single-byte alphanumeric characters.

Payment Request Info Type Fields

Field	Description
PAYMENTREQUEST_n_TRANSACTIONID	Transaction ID for up to 10 parallel payment requests. You can specify up to 10 payments, where <i>n</i> is a digit between 0 and 9, inclusive. This field is available since version 64.0.
PAYMENTREQUEST_n_PAYMENTREQUESTID	Payment request ID. You can specify up to 10 payments, where <i>n</i> is a digit between 0 and 9, inclusive. This field is available since version 64.0.

Payment Error Type Fields

Field	Description
PAYMENTINFO_ <i>n</i> _SHORTMESSAGE	<code>xs:string</code> Payment error short message. You can specify up to 10 payments, where <i>n</i> is a digit between 0 and 9, inclusive.
PAYMENTINFO_ <i>n</i> _LONGMESSAGE	<code>xs:string</code> Payment error long message. You can specify up to 10 payments, where <i>n</i> is a digit between 0 and 9, inclusive.
PAYMENTINFO_ <i>n</i> _ERRORCODE	<code>xs:stringf</code> Payment error code. You can specify up to 10 payments, where <i>n</i> is a digit between 0 and 9, inclusive.
PAYMENTINFO_ <i>n</i> _SEVERITYCODE	<code>xs:string</code> Payment error severity code. You can specify up to 10 payments, where <i>n</i> is a digit between 0 and 9, inclusive.
PAYMENTINFO_ <i>n</i> _ACK	<code>xs:string</code> Application-specific error values indicating more about the error condition. You can specify up to 10 payments, where <i>n</i> is a digit between 0 and 9, inclusive.

Tax Id Details Type Fields

Field	Description
TAXIDTYPE	Buyer's tax ID type. This field is required for Brazil and used for Brazil only. For Brazil use only: The tax ID type is <code>BR_CPF</code> for individuals and <code>BR_CNPJ</code> for businesses. This field is introduced in API version 72.0.
TAXID	Buyer's tax ID. This field is required for Brazil and used for Brazil only. For Brazil use only: The tax ID is 11 single-byte characters for individuals and 14 single-byte characters for businesses. This field is introduced in API version 72.0.

Deprecated Fields

The following fields have been deprecated since version 63.0. Use the newer fields in the following tables instead.

Deprecated SetExpressCheckoutDetails Response Field

Field	Use this field instead
(No replacement)	
NOTE	Text entered by the buyer on the PayPal website if you set the <code>ALLOWNOTE</code> field to 1 in <code>SetExpressCheckout</code> . Character length and limitations: 255 single-byte characters.

Deprecated Address Type Fields

Field	Use this field instead
SHIPTONAME	PAYMENTREQUEST_0_SHIPTONAME
SHIPTOSTREET	PAYMENTREQUEST_0_SHIPTOSTREET
SHIPTOSTREET2	PAYMENTREQUEST_0_SHIPTOSTREET2
SHIPTOCITY	PAYMENTREQUEST_0_SHIPTOCITY
SHIPTOSTATE	PAYMENTREQUEST_0_SHIPTOSTATE
SHIPTOZIP	PAYMENTREQUEST_0_SHIPTOZIP
SHIPTOCOUNTRY	PAYMENTREQUEST_0_SHIPTOCOUNTRYCODE
SHIPTOPHONENUM	PAYMENTREQUEST_0_SHIPTOPHONENUM
ADDRESSSTATUS	PAYMENTREQUEST_0_ADDRESSSTATUS

Deprecated Payment Details Type Fields

Field	Use this field instead
AMT	PAYMENTREQUEST_0_AMT
CURRENCYCODE	PAYMENTREQUEST_0_CURRENCYCODE
ITEMAMT	PAYMENTREQUEST_0_ITEMAMT
SHIPPINGAMT	PAYMENTREQUEST_0_SHIPPINGAMT
INSURANCEAMT	PAYMENTREQUEST_0_INSURANCEAMT
SHIPPINGDISCAMT	PAYMENTREQUEST_0_SHIPDISCAMT
INSURANCEOPTIONOFFERED	PAYMENTREQUEST_0_INSURANCEOPTIONOFFERED
HANDLINGAMT	PAYMENTREQUEST_0_HANDLINGAMT
TAXAMT	PAYMENTREQUEST_0_TAXAMT
DESC	PAYMENTREQUEST_0_DESC
CUSTOM	PAYMENTREQUEST_0_CUSTOM
INVNUM	PAYMENTREQUEST_0_INVNUM
NOTIFYURL	PAYMENTREQUEST_0_NOTIFYURL
NOTETEXT	PAYMENTREQUEST_0_NOTETEXT
TRANSACTIONID	PAYMENTREQUEST_0_TRANSACTIONID
ALLOWEDPAYMENTMETHOD	PAYMENTREQUEST_0_ALLOWEDPAYMENTMETHOD
PAYMENTREQUESTID	PAYMENTREQUEST_0_PAYMENTREQUESTID

Deprecated Payment Details Item Type Fields

Field	Use this field instead
L_NAME <i>n</i>	L_PAYMENTREQUEST_0_NAME <i>m</i>
L_DESC <i>n</i>	L_PAYMENTREQUEST_0_DESC <i>m</i>
L_AMT <i>n</i>	L_PAYMENTREQUEST_0_AMT <i>m</i>
L_NUMBER <i>n</i>	L_PAYMENTREQUEST_0_NUMBER <i>m</i>
L_QTY <i>n</i>	L_PAYMENTREQUEST_0_QTY <i>m</i>
L_TAXAMT <i>n</i>	L_PAYMENTREQUEST_0_TAXAMT <i>m</i>
L_ITEMWEIGHTTVALUE <i>n</i>	L_PAYMENTREQUEST_0_ITEMWEIGHTVALUE <i>m</i>
L_ITEMWEIGHTUNIT <i>n</i>	L_PAYMENTREQUEST_0_ITEMWEIGHTUNIT <i>m</i>
L_ITEMLENGTHVALUE <i>n</i>	L_PAYMENTREQUEST_0_ITEMLENGTHVALUE <i>m</i>
L_ITEMLENGTHUNIT <i>n</i>	L_PAYMENTREQUEST_0_ITEMLENGTHUNIT <i>m</i>
L_ITEMWIDTHVALUE <i>n</i>	L_PAYMENTREQUEST_0_ITEMWIDTHVALUE <i>m</i>
L_ITEMWIDTHUNIT <i>n</i>	L_PAYMENTREQUEST_0_ITEMWIDTHUNIT <i>m</i>
L_ITEMHEIGHTVALUE <i>n</i>	L_PAYMENTREQUEST_0_ITEMHEIGHTVALUE <i>m</i>
L_ITEMHEIGHTUNIT <i>n</i>	L_PAYMENTREQUEST_0_ITEMHEIGHTUNIT <i>m</i>

Deprecated EbayItemPaymentDetailsItemType Fields

Field	Use this field instead
L_EBAYITEMNUMBER <i>n</i>	L_PAYMENTREQUEST_0_EBAYITEMNUMBER <i>m</i>
L_EBAYAUCITIONTXNID <i>n</i>	L_PAYMENTREQUEST_0_EBAYAUCITIONTXNID <i>m</i>
L_EBAYITEMORDERID <i>n</i>	L_PAYMENTREQUEST_0_EBAYITEMORDERID <i>m</i>
L_EBAYITEMCARTID <i>n</i>	L_PAYMENTREQUEST_0_EBAYITEMCARTID <i>m</i>